



Catalogue of **Likuan**
+Filter
+Tri-flow
+Innovation Design

Content

NP3033CP NPB3033CP	03
NC5163CP	05
NCP6033CP-A	07
NCP7033CP-A NCP7133CP	09
NCP9053CP-A	11
NCPS803CP NCPS803CP-L	13
NCPV633CP NCPV633CP-A	15
NCPV883CP NCPV883CP-L	17
NCD1N3CP NHD1N3CP NHD1NV3CP	19
NCD3N3CP	21
NHCD1S3PD NHAD1S3PD NSCD1S3PD	23
NHCD3S3PD NHAD3S3PD NSCD3S3PD	25
NKD0112CP-L	27
NKD2212CP-L	29
NKD0212CP-L	31
NKD0412CP-L	33

Company Profile

Likuan Hardware Industrial Co. Ltd., established in 2000, is a professional faucet manufacturer specializing in kitchen and drinking water faucets. We staff not only excellent engineers but also knowledgeable and talented RD staff to design our products. Our greatest challenge is to offer our customers what they need before they know they need it. Likuan concentrates its efforts on developing novel designs, patenting faucets and investing in state-of-the-art equipments so as to increase the competitive advantage it provides to our esteemed customers. In addition, we conduct test on all our products with criteria above and beyond that which is requires by the industry standard as to guarantee a quality product for our customers. As a leader within the field, the company is constantly and consistently attaining new certifications that help us to maintain our competitive edge. Likuan firmly believes that its customers deserve the best quality, reasonable prices, innovative designs, environmentally friendly products while also begin safe, reliable, and exquisite. Supplying clear and fresh

Content

NC4123CP	04
NCP6033CP NCP6033CP-L	06
NCP7033CP NCP7033CP-L	08
NCP8883CP NCP8883CP-L	10
NCP9053CP NCP9053CP-L	12
NCPS883CP NCPS883CP-L	14
NCPV833CP NCPV833CP-L	16
NCPV893CP NCPV893CP-L	18
NCD2N3CP NHD2N3CP NHD2NV3CP	20
NCD4N3CP NHD4N3CP NHD4NV3CP	22
NHCD2S3PD NHAD2S3PD NSCD2S3PD	24
NHCD4S3PD NHAD4S3PD NSCD4S3PD	26
NKD1212CP-L	28
NKD2512CP	30
NKD0312CP-L	32
NKDS0212CP-L	34

History

2010 — Innovated, simply and wireless LED monitored faucet for changing reminder.

2010 — The kitchen taps are certified at WaterMark.

2008 — Innovated a series of fashionable, environmentally friendly faucets that have no heavy metal pollutants contained in sections that have contact with water.

2007 — Likuan was honored with the distinction of having ISO 9001 Certification.

2004 — Likuan's products obtained National Science Foundation (NSF) Certification.

2000 — Likuan Hardware Industrial Co. Ltd., was founded on August 29th, 2000 and specialized in drinking water faucets and accessories.



Certified to NSF/ANSI 61
Section 9-G



NP3033CP | NPB3033CP

- Available with:
- air gap
 - tubing attached
 - quick connector
 - multiple spouts
 - 2" or 3" shank





NC4123CP

Available with:

- low lead or DR brass
- tubing attached
- quick connector
- multiple spouts
- 2" or 3" shank





NC5163CP

Available with:

- low lead or DR brass
- tubing attached
- quick connector
- multiple spouts
- 2" or 3" shank





Certified to NSF/ANSI 61
Section 9-G



NCP6033CP | NCP6033CP-L

Available with:

- air gap
- tubing attached
- quick connector
- multiple spouts
- 2" or 3" shank
- LED timer indicator



White
Ivory
Gary
Red
Chrome Plated
Antique Brass
Antique Wine
Bright Black
Brushed Nickel
Oil Rubbed Bronze
Satin Nickel
Bright Golden
Antique Bronze



Certified to NSF/ANSI 61
Section 9-G



NCP6033CP-A

Available with:


- air gap
- tubing attached
- quick connector
- multiple spouts
- 2" or 3" shank



White
Ivory
Gary
Red
Chrome Plated
Antique Brass
Antique Wine
Bright Black
Brushed Nickel
Oil Rubbed Bronze
Satin Nickel
Bright Golden
Antique Bronze



Certified to NSF/ANSI 61
Section 9-G



NCP7033CP | NCP7033CP-L

- Available with:
- air gap
 - tubing attached
 - quick connector
 - multiple spouts
 - 2" or 3" shank
 - LED timer indicator





Certified to NSF/ANSI 61
Section 9-G

NCP7033CP-A | NCP7133CP

- Available with:
- air gap
 - tubing attached
 - quick connector
 - multiple spouts
 - 2" or 3" shank





Certified to NSF/ANSI 61
Section 9-G



NCP8883CP | NCP8883CP-L

Available with:

- air gap
- tubing attached
- quick connector
- multiple spouts
- 2" or 3" shank
- LED timer indicator
- Not available for Germany



White
Ivory
Gary
Red
Chrome Plated
Antique Brass
Antique Wine
Bright Black
Brushed Nickel
Oil Rubbed Bronze
Satin Nickel
Bright Golden
Antique Bronze





Certified to NSF/ANSI 61
Section 9-G



NCP9053CP-A


Available with:

- air gap
- tubing attached
- quick connector
- multiple spouts
- 2" or 3" shank





Certified to NSF/ANSI 61
Section 9-G



NCP9053CP | NCP9053CP-L

Available with:


- air gap
- tubing attached
- quick connector
- multiple spouts
- 2" or 3" shank
- LED timer indicator



White
Ivory
Gary
Red
Chrome Plated
Antique Brass
Antique Wine
Bright Black
Brushed Nickel
Oil Rubbed Brone
Satin Nickel
Bright Golden
Antique Bronze



Certified to NSF/ANSI 61
Section 9-G



NCPS803CP | NCPS803CP-L

Available with:

- air gap
- tubing attached
- quick connector
- multiple spouts
- 2" or 3" shank
- LED timer indicator



White
Ivory
Gary
Red
Chrome Plated
Antique Brass
Antique Wine
Bright Black
Brushed Nickel
Oil Rubbed Bronze
Satin Nickel
Bright Golden
Antique Bronze



Certified to NSF/ANSI 61
Section 9-G



NCPS883CP | NCPS883CP-L

Available with:

- air gap
- tubing attached
- quick connector
- multiple spouts
- 2" or 3" shank
- LED timer indicator




White
Ivory
Gary
Red
Chrome Plated
Antique Brass
Antique Wine
Bright Black
Brushed Nickel
Oil Rubbed Brone
Satin Nickel
Bright Golden
Antique Bronze





Certified to NSF/ANSI 61
Section 9-G



NCPV633CP | NCPV633CP-A

- Available with:
- air gap
 - tubing attached
 - quick connector
 - multiple spouts
 - 2" or 3" shank





Certified to NSF/ANSI 61
Section 9-G



NCPV833CP | NCPV833CP-L

Available with:

- air gap
- tubing attached
- quick connector
- multiple spouts
- 2" or 3" shank
- LED timer indicator





Certified to NSF/ANSI 61
Section 9-G



NCPV883CP | NCPV883CP-L

- Available with:
- air gap
 - tubing attached
 - quick connector
 - multiple spouts
 - 2" or 3" shank
 - LED timer indicator





Certified to NSF/ANSI 61
Section 9-G



NCPV893CP | NCPV893CP-L

Available with:

- air gap
- tubing attached
- quick connector
- multiple spouts
- 2" or 3" shank
- LED timer indicator



White

Ivory

Gary

Red

Chrome Plated

Antique Brass

Antique Wine

Bright Black

Brushed Nickel

Oil Rubbed Brone

Satin Nickel

Bright Golden

Antique Bronze



Certified to NSF/ANSI 61
Section 9-G



NCD1N3CP

- cold only
- lead-free brass
- 2", 3" or 4" shank

NHD1N3CP

- hot only
- lead-free brass
- 2", 3" or 4" shank
- auto-return

NHD1NV3CP

- hot only
- lead-free brass
- auto-return
- teflon/LLDPE(3 tubing installed)





Certified to NSF/ANSI 61
Section 9-G



NCD2N3CP

- cold only
- lead-free brass
- 2", 3" or 4" shank

NHD2N3CP

- hot only
- lead-free brass
- 2", 3" or 4" shank
- auto-return

NHD2NV3CP

- hot only
- lead-free brass
- auto-return
- teflon/LLDPE(3 tubing installed)





Certified to NSF/ANSI 61
Section 9-G



NCD3N3CP

- Cold only
- Lead-free brass
- 2", 3" or 4" shank



Antique Bronze
Bright Golden
Satin Nickel
Oil Rubbed Bronze
Brushed Nickel
Bright Black
Antique Wine
Antique Brass
Chrome Plated
Red
Gary
Ivory
White



Certified to NSF/ANSI 61
Section 9-G



NCD4N3CP

- Cold only
- Lead-free brass
- 2", 3" or 4" shank

NHD4N3CP

- Hot only
- Lead-free brass
- 2", 3" or 4" shank
- Auto-return

NHD4NV3CP

- Hot only
- Lead-free brass
- Auto-return
- Teflon/LLDPE(3 tubing installed)





Certified to NSF/ANSI 61
Section 9-G



NHCD1S3PD

- Hot and Cold
- Stainless steel #304
- Polished or Brushed finished
- Auto-return built-in hot handle
- Teflon/LLDPE (3 tubing installed)

NHAD1S3PD

- Hot and Chilled
- Stainless steel #304
- Polished or Brushed finished
- Auto-return built-in hot handle
- Teflon/LLDPE (2 tubing installed)

NSCD1S3PD

- Sparkling and Chilled
- Stainless steel #304
- Polished or Brushed finished
- Auto-return built-in hot handle
- LLDPE with compensator (2 tubing installed)



Certified to NSF/ANSI 61
Section 9-G



NHCD2S3PD

- Hot and Cold
- Stainless steel #304
- Polished or Brushed finished
- Auto-return built-in hot handle
- Teflon/LLDPE (3 tubing installed)

NHAD2S3PD

- Hot and Chilled
- Stainless steel #304
- Polished or Brushed finished
- Auto-return built-in hot handle
- Teflon/LLDPE (2 tubing installed)


NSCD2S3PD

- Sparkling and Chilled
- Stainless steel #304
- Polished or Brushed finished
- Auto-return built-in hot handle
- LLDPE with compensator (2 tubing installed)





Certified to NSF/ANSI 61
Section 9-G



NHCD3S3PD

- Hot and Cold
- Stainless steel #304
- Polished or Brushed finished
- Auto-return built-in hot handle
- Teflon/LLDPE (3 tubing installed)

NHAD3S3PD

- Hot and Chilled
- Stainless steel #304
- Polished or Brushed finished
- Auto-return built-in hot handle
- Teflon/LLDPE (2 tubing installed)

NSCD3S3PD

- Sparkling and Chilled
- Stainless steel #304
- Polished or Brushed finished
- Auto-return built-in hot handle
- LLDPE with compensator (2 tubing installed)



Certified to NSF/ANSI 61
Section 9-G



NHCD4S3PD

- Hot and Cold
- Stainless steel #304
- Polished or Brushed finished
- Auto-return built-in hot handle
- Teflon/LLDPE (3 tubing installed)

NHAD4S3PD

- Hot and Chilled
- Stainless steel #304
- Polished or Brushed finished
- Auto-return built-in hot handle
- Teflon/LLDPE (2 tubing installed)

NSCD4S3PD

- Sparkling and Chilled
- Stainless steel #304
- Polished or Brushed finished
- Auto-return built-in hot handle
- LLDPE with compensator (2 tubing installed)





NKD0112CP-L

- Tri-flow faucet Hot/Cold and Filter water with LED timer indicator
- Options with 3/8" and 1/2" steel-wire-braided connection hoses
- The connecting hoses is 1.5 feet long, also available in longer models.





WaterMark



Certified to NSF/ANSI 61
Section 9



NKD1212CP-L

- Tri-flow faucet Hot/Cold and Filter water with LED timer indicator
- Options with 3/8" and 1/2" steel-wire-braided connection hoses
- The connecting hoses is 1.5 feet long, also available in longer models.





NKD2212CP-L

- Tri-flow faucet Hot/Cold and Filter water with LED timer indicator
- Options with 3/8" and 1/2" steel-wire-braided connection hoses
- The connecting hoses is 1.5 feet long, also available in longer models.

												
White	Ivory	Gary	Red	Chrome Plated	Antique Brass	Antique Wine	Bright Black	Brushed Nickel	Oil Rubbed Brone	Satin Nickel	Bright Golden	Antique Bronze



NKD2512CP

- Hot and Cold faucet
- Options with 3/8" and 1/2" steel-wire-braided connection hoses
- The connecting hoses is 1.5 feet long, also available in longer models





WaterMark



Certified to NSF/ANSI 61
Section 9



NKD0212CP-L

- Tri-flow faucet Hot/Cold and Filter water with LED timer indicator
- Options with 3/8" and 1/2" steel-wire-braided connection hoses
- The connecting hoses is 1.5 feet long, also available in longer models.





Certified to NSF/ANSI 61
Section 9



NKD0312CP-L

- Tri-flow faucet Hot/Cold and Filter water with LED timer indicator
- Options with 3/8" and 1/2" steel-wire-braided connection hoses
- The connecting hoses is 1.5 feet long, also available in longer models.





Certified to NSF/ANSI 61
Section 9



NKD0412CP-L

- Tri-flow faucet Hot/Cold and Filter water with LED timer indicator
- Options with 3/8" and 1/2" steel-wire-braided connection hoses
- The connecting hoses is 1.5 feet long, also available in longer models.


												
White	Ivory	Gary	Red	Chrome Plated	Antique Brass	Antique Wine	Bright Black	Brushed Nickel	Oil Rubbed Brone	Satin Nickel	Bright Golden	Antique Bronze

NKDS0212CP-L

- Tri-flow faucet Hot/Cold and Filter water with LED timer indicator
- Available in two spout sizes for easily washing the primary and secondary sink applications
- The hose comes with ball joint for quit, light and easy operation
- An innovative design makes it shift effortlessly



WaterMark

	Antique Bronze
	Bright Golden
	Satin Nickel
	Oil Rubbed Brone
	Brushed Nickel
	Bright Black
	Antique Wine
	Anitique Brass
	Chrome Plated
	Red
	Gary
	Ivory
	White





www.likuan.com

Likuan Hardware Industrial Co., Ltd.

No. 6, Lane. 23, Sec. 2, Dingcao Rd., Lugang, Changhua Hsien, 50543 Taiwan **T**+886 4 7722201 **F**+886 4 7722203